Grahani: The Missing Link in Female Infertility: A Case Study

Sarika Londhe[1]
[1]*Director, Nirvikar Ayurved Hospital, Bhosari, Pune*

Corresponding Author :
Sarika Londhe
E-mail ID : sarikalondhe49@gmail.com

Submission: 06.07.2026 Acceptance: 06.08.2026 Publication: 23.09.2026

https://www.doi.org/10.63778/PDEASIJRAAS-ARJCPL/2026_23924

Introduction

The rise in infertility has paralleled current shifts in lifestyle, irregular routines, late-night wakefulness, daytime sleep, untimely meals, habitual consumption of heavy, oily foods and psychological stress. *Ayurveda* holds that these factors first impair *Jatharagni* (Digestive fire), weakening *Grahani* (The Intestinal seat of *Agni)* and producing *Ama* (Toxin) - associated vitiation of *Rasadhatu*, the first of the seven bodily tissues *(Saptadhatu)*. Unlike biomedicine, which evaluates infertility largely through named structural diagnoses, *Ayurveda* traces the complete pathogenic sequence *(Samprapti)*, *Dosha, Dushya, Agni, Ama* and *Srotas*, before treatment is planned, a distinction that matters where structural lesions such as tubal block coexist with an underlying digestive disturbance. *Acharya Charaka* holds that longevity, complexion, strength, health, vitality and life itself rest upon *Agni* (Digestive fire)[1].

''आयुर्वर्णो बलं स्वास्थ उत्साहोपचयौ प्रभा। ओजस्तेजोऽग्रयः प्राणा सर्वमग्नी प्रतिष्ठितम्।।" (चरक संहिता, चिकित्सास्थान)

Since *Grahani* is the seat *(Adhishthana)* of *Agni*, the two share a bidirectional relationship: impaired *Agni* disturbs *Grahani,* and a vitiated *Grahani* keeps *Agni* weak, sustaining a cycle of incomplete digestion and *Ama* formation[2]. As *Rasadhatu* is nourished directly from digested food and is the base tissue from which blood, muscle, adipose, bone, marrow and finally *Shukra* and *Artava* (Reproductive tissues) are sequentially derived, any compromise at the *Rasadhatu* level carries forward through the entire nutrition channel. *Charaka Samhita* further identifies four essentials for conception: *Ritu, Kshetra, Ambu*, and *Beeja*, of which *Ambu* corresponds to healthy *Rasadhatu*[3]. When *Grahani* dysfunction compromises *Ambu*, the nutritional foundation for conception remains inadequate even when the other three factors are normal. This case illustrates that relationship in a patient with coexisting structural and functional infertility.

Case Presentation

A 24-year-old woman presented with primary infertility, with a history of laparoscopic excision of a left ovarian endometriotic cyst. Investigations showed a blocked right fallopian tube with a patent left tube and a right-breast fibroadenoma. Associated complaints included recurrent loose stools, cold intolerance, abdominal colic, nausea, and premenstrual pain. Dietary history was notable for regular heavy, oily foods *(Poha, Farsan, Sev 4 times in a week)*, with a habit of daytime sleep *(Divaswapna)*, suggesting the infertility was not purely structural but compounded by a functional digestive disturbance.

Ayurvedic Diagnosis and Pathogenesis (*Samprapti*)

Watery, frequent stools (*Paniya Malapravritti*) reflected not simple diarrhoea but *Agnimandya* and *Grahani Dosha*, consistent with *Sushruta Samhita's* view of sequential digestion from *Ahararasa* to *Rasadhatu*[4], while daytime sleep, heavy oily food and irregular meal timing aggravated *Kapha* and decreased *Agni*[5,6]. The *Samprapti* (Pathogenesis) followed a clear chain: poor diet and lifestyle weakened *Agni*, which impaired *Grahani* and produced *Ama*. This *Ama* vitiated *Rasadhatu*, disrupted tissue nourishment and ultimately led to *Vandhyatva* (Infertility). It mirrors modern medicine's growing understanding of how gut imbalance affects the gut–endometrial axis and reproductive health[7,8,9,10]. Since *Brimhana* (Nutritive therapy) doesn't work while *Agni* is weak, it turns into *Ama* instead; treatment focused first on correcting *Agni* and *Grahani*, then moved through *Shodhana*, local gynaecological care and conception-supportive therapy in that order across successive visits.

Treatment Protocol

Treatment proceeded in defined phases across successive visits, integrating *Srotoshodhana* (Channel-clearing) procedures directed at the blocked right fallopian tube with systemic *Agni*-correction and, subsequently, conception-supportive therapy [Table1].

© All Rights reserved. Pune District Education Association

Table 1: Sequential Treatment Strategy

Visit	Procedure / Interventions	Duration / Course
1	*Uttarabasti* with *Kshara* + *Kasisa Taila*	3 Consecutive cycles
2	1. Tab. Torchnil 1 BD (After food), 2. Tab. *Raktapachak* 2 BD (Before food), *3. Paripathadi Kadha* 15 mL BD (before food), *4. Sukshma Triphala* 2 BD (before food)	For 15 days with lukewarm water
3	*Vaman Procedure: Purvakarma: Snehapana* with *Mahatiktaka Ghrita* (ascending doses 30, 60, 90, 120, 150 mL); *Snehana* with *Chandanabalalakshadi Taila*; *Swedana* with *Dashamooladi Peti Sweda*. *Pradhankarma: Vamana* on Day 7 using *Madanaphala, Yashtimadhu, Vacha, Pippali, Saindhava* with honey *Vamak Yoga: Yashtimadhu Phanta* Madhyama Shuddhi achieved.	*Snehapan* for 5 Days, *Vishram* day on Day 6, *Vamana* on Day 7; from Day 7 *Sansarjan Krama* to next 7 days
4	*Yonidhavana* (*Triphala* + *Yashtimadhu* + *Raktachandana Kashaya*) and *Yoni Pichu* with *Jatyadi Taila*	For 7 days
5	Internal Medicine: 1. Tab. Torchnil 1 BD (After food), 2. Tab. *Raktapachak* 2 BD (Before food), *3. Paripathadi Kashaya* 15 mL BD (before food), *4. Sukshma Triphala* 2 BD (before food) *Procedure:* 3-cycle *Uttarabasti* courses with *Sahachara Taila*; concurrent *Yonidhavana* with *Triphala Kashaya*	Internal medicine: for 7 days with lukewarm water, *Uttarbasti* for 3 days
6	1. Tab. Torchnil 1 BD (After food), 2. *Pushyanuga Vati* 2 BD (Before food), 3. *Shwetapradaranashak* 15 mL BD (Before food), *Gandhaka Rasayana* 1 BD (After food)	For 15 days with lukewarm water
Tubal Block Cleared		
7	1. *Laghu Malini Vasanta* 1 BD (Before food), 2. Tab. Allerco 1 (BMM), 3. *Raktapachak* 1 BD (Before food), 4. *Gandharva Haritaki* 2 HS (Bedtime), 5. *Manomitram Vati* 1 BD (After food) *6. Sahachara Taila Matra Basti* 30 mL: 15 days.	Internal Medicine: For 40 Days with lukewarm water

Discussion

Early visits prioritised correction of *Agni* and *Grahani* through *Uttarabasti* with *Kshara* and *Kasisa Taila* for local *Srotoshodhana*, paired with *Deepana-Pachana* medicines, Torchnil, *Raktapachak, Paripathadi Kadha*, and *Sukshma Triphala*, to restore digestive fire before any structural or nutritive intervention was attempted. This escalated to *Vamana Karma*, a systemic *Shodhana* procedure targeting *Kapha*-dominant *Ama*, administered only after *Agni* was prepared through *Snehapana* and *Swedana*, followed by *Sansarjan Krama* to restore digestion gently post-purification. Subsequent visits combined local reproductive-tract care (*Yonidhavana, Yoni Pichu, Sahachara Taila Uttarabasti*) with continued *Agni*-support and menstrual-regularising formulations (*Pushyanuga Vati, Gandhaka Rasayana*), resulting in confirmed clearance of the tubal block, evidence that structural correction followed, rather than preceded, digestive correction. Only once *Agni* and menstrual cycles stabilised was a *Brimhana*-oriented, conception-supportive regimen (*Laghu Malini Vasanta, Gandharva Haritaki, Manomitram Vati, Matra Basti*) introduced[11,12].

This sequencing shows the *Grahani-Ambu* principle in practice: nutritive and fertility-supportive treatments were

© All Rights reserved. Pune District Education Association

held back until *Agni* was corrected, since administering them too early would have resulted in *Ama* and worked against the treatment. Digestive health improved early on, with stools normalising and colic and nausea resolving. Later scans confirmed the blocked tube had opened, cycles became regular, and after conception-support therapy, healthy ovulation and endometrial thickness led to a positive pregnancy test and a healthy full-term delivery[13,14].

This outcome reinforces that *Agni* underlies all physiological and pathological processes, and infertility cannot be addressed through structural correction alone. The approach followed a two-tier logic: *Agni*-correction and *Amapachana* preceded and alongside *Srotoshodhana*, with *Brimhana* introduced only after *Agni* and menstrual regularity were restored; locally, *Kshara Taila Uttarabasti* (For *Lekhana*) was followed by *Vamana*, then gentler *Sahachara Taila Uttarabasti* for strengthening support. Restoration of tubal patency without surgical re-establishment of patency with published *Ayurvedic* literature, and the temporal correlation parallels biomedical evidence linking gut-derived inflammatory factors to tubal and endometrial function, supporting *Agni* and *Ama* as gut-originating determinants of reproductive-tract disease[15,16].

Conclusion

This case study demonstrates that *Agni* is the foundation of all physiological and pathological processes. In a complex, multifactorial condition such as *Vandhyatva*, structural defects alone cannot be the sole focus; assessment and correction of *Agni* and *Rasadhatu* status are equally essential and are appropriately sequenced ahead of local *Srotoshodhana* and nutritive therapy. The staged protocol followed here resulted in resolution of digestive symptoms, restoration of tubal patency, and a healthy full-term live birth, underscoring the value of an *Agni*-centred, sequenced approach to *Vandhyatva* and the need for further systematic clinical study.

Source of Support: Nil

Conflict of Interest: Nil

Copyright © 2026 PDEA'S International Journal Research in Ayurved and Allied Sciences. This is an open access article, it is free for all to read, download, copy, distribute, adapt and permitted to reuse under Creative Commons Attribution Non Commercial-ShareAlike: CC BY-NC-SA BY 4.0 license.

References

1. Patel MA, Patki PM, Kala K. Comprehensive review of Agni physiology: Ayurvedic perspectives and modern correlations. Journal of Ayurveda and Naturopathy. 2025;2(2):35-9.
2. Meera K. *A Comprehensive Study of Jatharagni and Dvandvaja Prakriti* (Doctoral dissertation, Rajiv Gandhi University of Health Sciences (India)).
3. Raut M, Sadani A, Marwaha R, Bhalerao N. Garbha Sambhav Samagari-A Holistic Approach to Fertility and Healthy Offspring. Journal of Ayurveda and Integrated Medical Sciences. 2025 Jul 31;10(7): 107-10.
4. Sukesh Suni S, Soman Pillai D, Paramadam Krishnan Nair V. An Ayurvedic view on food (Ahara)—a review. InBiology and life sciences forum 2021 Oct 14 (Vol. 6, No. 1, p. 19). MDPI.
5. Bhuva AN, Patki PM, Kala K. A comprehensive review on Nidra and Swapna: Insights from Ayurveda and sleep science. Journal of Ayurveda and Naturopathy. 2025;2(2):20-5.
6. Bargi AA. Ayurvedic management of Infertility-A Case Report. Journal of Ayurveda and Integrated Medical Sciences. 2023 Jun 24;8(5):260-4.
7. Asmabi MA, Jithesh MK, Govindan J. Ayurveda management of primary infertility associated with endometriosis-A case report. Journal of Ayurveda and Integrative Medicine. 2024 Jan 1;15(1):100852.
8. Asmabi MA, Jithesh MK. Ayurveda management of infertility associated with Poly Cystic Ovarian Syndrome: A case report. Journal of Ayurveda and integrative medicine. 2022 Apr 1;13(2):100513.
9. Pandey M, Goud PP. Ayurvedic Management of Secondary Infertility with Bilateral Tubal Block. Journal of Ayurveda. 2024 Jan 1;18(1):81-6.
10. Wang M, Zheng LW, Ma S, Zhao DH, Xu Y. The gut microbiota: emerging biomarkers and potential treatments for infertility-related diseases. Frontiers in Cellular and Infection Microbiology. 2024 Sep 26;14:1450310.
11. Chouhan P, Garg AK. Ayurvedic management of infertility WSR to tubal blockage by Kshar Taila Uttar Basti: A case study. Journal of Ayurveda. 2024 Jul 1;18(3):240-4.
12. Monisha VM, Roy A, Sen B. Understanding Kshara taila uttarabasti in Tubal Blockage: A Case Report. Journal of Ayurveda. 2025 Oct 1;19(4):385-8.
13. Buduru P, Kadam S, Bharathi K, Malsariya S. Management of fallopian tube blockage through Ayurveda: An experience. Journal of Ayurveda Case Reports. 2024 Jul 1;7(3):164-9.

© All Rights reserved. Pune District Education Association

14. Pandey M, Goud PP. Ayurvedic Management of Secondary Infertility with Bilateral Tubal Block. Journal of Ayurveda. 2024 Jan 1;18(1):81-6.

15. Hasan MM, Tuhin TB, Khandaker MA, Akter M, Khan MR, Ramavani M, Tahira RN. Intra-uterine Uttar Vasti (IUUV) as a therapeutic intervention for fallopian tubal blockage-induced female infertility: A clinical evaluation.

16. Dansana S, Hota DK, Panda PK, Kadam S. Management of tubal blockage through Ayurvedic interventions: A case study. Journal of Research in Ayurvedic Sciences. 2022 Jul 1;6(3):127-32.

© All Rights reserved. Pune District Education Association